

SAFETY DATA SHEET

OMO Ultra Hvitt Vaskekapsler

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

▼ Trade name

OMO Ultra Hvitt Vaskekapsler

▼ Other names / Synonyms

OMO Ultra Hvitt 5i1

Product no.

510004113, 510004343

Unique formula identifier (UFI)

U9UA-U8VJ-M00Q-D8UK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Laundry detergent

For private use

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Orkla Home & Personal Care (HPC)

Postboks 673 Skøyen

0214 Oslo

Norway

22 06 27 80

www.orkla.no

E-mail

forbrukerservice@orkla.no

Revision

16/12/2025

SDS Version

3.0

Date of previous version

19/12/2024 (2.0)

1.4. Emergency telephone number

In case of emergency, call 112.

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation.

Eye Irrit. 2; H319, Causes serious eye irritation.

Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s)



Signal word

Warning

Hazard statement(s)

Causes skin irritation. (H315)

Causes serious eye irritation. (H319)

Harmful to aquatic life with long lasting effects. (H412)

Precautionary statement(s)

General

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

▼ Prevention

Not applicable.

Response

IF ON SKIN: Wash with plenty of water. (P302+P352)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

If skin irritation occurs: Get medical advice/attention. (P332+P313)

If eye irritation persists: Get medical advice/attention. (P337+P313)

▼ Storage

Not applicable.

Disposal

Dispose of contents/container to reception in accordance with local regulations (P501)

Hazardous substances

Not relevant.

Additional labelling

EUH208, Contains subtilisin, Hexyl salicylate, isoeugenol. May produce an allergic reaction.

UFI: U9UA-U8VJ-M00Q-D8UK

Labelling of contents according to Detergents Regulation (EC) No 648/2004 (applicable to packaging of detergents sold to the general public)

Detergent labelling:

≥ 30%

· Anionic surfactants

>5% - <15%

· Non-ionic surfactants

· Soap

< 5%

· Phosphonates

· Enzymes

· Optical brighteners

· Perfumes

Potassium Sorbate

benzisothiazolinone

hexyl cinnamal

phenoxyethanol

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
MEA dodecyl benzene sulfonate	CAS No.: 85480-55-3 EC No.: 287-335-8 REACH: Index No.:	>=10 - <25%	Acute Tox. 4, H302 (ATE: 1570.00 mg/kg) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
Alcohols, C12-18, ethoxylated	CAS No.: 68213-23-0 EC No.: 500-201-8 REACH: 01-2119489387-20-XXXX Index No.:	>=10 - <25%	Acute Tox. 4, H302 (ATE: 1000,00 mg/kg) Eye Dam. 1, H318 Aquatic Chronic 3, H412	
Sodium laureth sulfate	CAS No.: 68891-38-3 EC No.: 500-234-8 REACH: 01-2119488639-16-xxxx Index No.:	≥ 1 < 10%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Aquatic Chronic 3, H412	[19]
2-Hydroxyethan-1-aminium dodecanoate	CAS No.: 91031-21-9 EC No.: 292-921-1 REACH: Index No.:	≥ 1 < 10%	Eye Dam. 1, H318	
subtilisin	CAS No.: 9014-01-1 EC No.: 232-752-2 REACH: 01-2119480434-38-XXXX Index No.: 647-012-00-8	< 1%	Acute Tox. 4, H302 (ATE: 1800.00 mg/kg) Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334 STOT SE 3, H335 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	
Hexyl salicylate	CAS No.: 6259-76-3 EC No.: 228-408-6 REACH: 01-2119638275-36-XXXX Index No.:	<1%	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Get medical advice/attention if you feel unwell. Show this Safety Data Sheet to the medical personnel.

Inhalation

If feeling uncomfortable - seek fresh air.

Skin contact

Rinse with water.

Eye contact

Wash with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention if irritation persists after washing.

Ingestion

Give a few small glasses of water or milk to drink. Get medical advice/attention if you feel unwell.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion: Gastrointestinal symptoms, including upset stomach. Diarrhoea. Nausea, vomiting.

Skin contact: Causes skin irritation.

Eye contact: Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medic

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

The product is not flammable. Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

5.3. Advice for firefighters

Avoid breathing fire gases or vapours. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. For personal protection, see Section 8.

6.2. Environmental precautions

Contain spillage with sand, earth or other suitable non-combustible material. Avoid discharge into drains or watercourses or onto the ground. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

Small Spillages: Flush away spillage with plenty of water. Large Spillages: Collect spillage for reclamation or disposal in sealed containers via a licensed waste contractor.

6.4. Reference to other sections

See section 1 for emergency contact information.

For personal protection, see section 8.

For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. For personal protection, see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep only in the original container. Keep containers upright. Store at room temperature.

Recommended storage material

Store in tightly-closed, original container.

Storage conditions

Room temperature 15 to 25°C

Incompatible materials

None known.

7.3. Specific end use(s)

The identified uses for this product are detailed in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

Alcohols, C12-18, ethoxylated

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	1250 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2080 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	87 mg/m ³
Long term – Systemic effects - Workers	Inhalation	294 mg/m ³
Long term – Systemic effects - General population	Oral	25 mg/kg bw/day

Hexyl salicylate

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	442.5 µg/cm ²
Long term – Local effects - Workers	Dermal	885 µg/cm ²
Long term – Systemic effects - General population	Dermal	3.2 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	6.4 mg/kg bw/day
Short term – Local effects - General population	Dermal	442.5 µg/cm ²
Short term – Local effects - Workers	Dermal	885 µg/cm ²
Long term – Systemic effects - General population	Inhalation	400 µg/m ³
Long term – Systemic effects - Workers	Inhalation	1.7 mg/m ³
Long term – Systemic effects - General population	Oral	300 µg/kg bw/day

Sodium laureth sulfate

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	0,079 mg/cm ²
Long term – Local effects - General population	Dermal	79 µg/cm ²
Long term – Local effects - Workers	Dermal	0,132 mg/cm ²
Long term – Local effects - Workers	Dermal	132 µg/cm ²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Long term – Systemic effects - General population	Inhalation	52 mg/m ³
Long term – Systemic effects - General population	Inhalation	52 mg/m ³
Long term – Systemic effects - Workers	Inhalation	175 mg/m ³
Long term – Systemic effects - Workers	Inhalation	175 mg/m ³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day

PNEC

Alcohols, C12-18, ethoxylated

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		48 µg/L
Freshwater sediment		292 mg/kg
Intermittent release (freshwater)		4.1 µg/L
Marine water		48 µg/L
Marine water sediment		292 mg/kg
Sewage treatment plant		10 g/L
Soil		1 mg/kg

Hexyl salicylate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		357 ng/L
Freshwater sediment		272 µg/kg
Intermittent release (freshwater)		3.57 µg/L
Marine water		35.7 ng/L
Marine water sediment		27.2 µg/kg
Sewage treatment plant		10 mg/L
Soil		54.2 µg/kg

Sodium laureth sulfate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,24 mg/l
Freshwater		240 µg/L
Freshwater sediment		0,9168 mg/kg dw
Freshwater sediment		916.8 µg/kg
Intermittent release (freshwater)		71 µg/L
Marine water		0,024 mg/l
Marine water		24 µg/L
Marine water sediment		0,0917 mg/kg dw
Marine water sediment		91.7 µg/kg
Sewage treatment plant		10000 mg/l
Sewage treatment plant		10 g/L
Soil		75, mg/kg dw
Soil		7.5 mg/kg

8.2. Exposure controls

Apply general control to prevent unnecessary exposure

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

General recommendations

Keep container tightly sealed when not in use.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

No specific recommendations.

Hygiene measures

Wash hands with water as a precaution. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

Measures to avoid environmental exposure

No specific recommendations.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.


▼ Respiratory Equipment

No specific requirements.


Skin protection

No specific requirements.

▼ Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Butyl	0,3	> 480	EN374-2, EN16523-1, EN388	

Eye protection

Type	Standards	
Safety glasses	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Various colours

Odour / Odour threshold

Perfume

pH

No data available

Density (g/cm³)

Not determined

Relative density

Not determined

Kinematic viscosity

Not determined

Particle characteristics

Not applicable

Phase changes

Melting point/Freezing point (°C)

Not applicable

Softening point/range (°C)

Does not apply to liquids.

Boiling point (°C)

Not determined

Vapour pressure

Not determined

Relative vapour density

Not determined

Decomposition temperature (°C)

Not determined

Data on fire and explosion hazards

Flash point (°C)

Not applicable

Flammability (°C)

Not applicable

Auto-ignition temperature (°C)

Not applicable

Lower and upper explosion limit (% v/v)

Not applicable

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient (LogKow)

Not determined

Solubility in fat (g/L)

Not determined

9.2. Other information

Evaporation rate (n-butylacetate = 100)

Not determined

Other physical and chemical parameters

No data available.

Oxidizing properties

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼ Acute toxicity

Product/substance	Sodium laureth sulfate
Test method:	OECD 401
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	> 2000 -5000 mg/kg

Product/substance	Sodium laureth sulfate
Test method:	OECD 402
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	> 2000 mg/kg

Based on available data for the mixture, the classification criteria are not met.

Skin corrosion/irritation

Product/substance	Sodium laureth sulfate
Test method:	OECD 404
Duration:	No data available.
Result:	Adverse effect observed (Irritating)

Causes skin irritation.

▼ Serious eye damage/irritation

Product/substance	Sodium laureth sulfate
Test method:	OECD 405
Duration:	No data available.
Result:	Adverse effect observed (Causes serious eye damage)

Product/substance	Sodium laureth sulfate
Test method:	OECD 405
Duration:	No data available.
Result:	Adverse effect observed (Irritating)

Product/substance	Sodium laureth sulfate
Test method:	OECD 405
Duration:	No data available.
Result:	No adverse effect observed (Not corrosive)

Causes serious eye irritation.

On basis of test data.

Respiratory sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

Skin sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

▼ Germ cell mutagenicity

Based on available data for the mixture, the classification criteria are not met.

▼ Carcinogenicity

Based on available data for the mixture, the classification criteria are not met.

▼ Reproductive toxicity

Based on available data for the mixture, the classification criteria are not met.

▼ STOT-single exposure

Based on available data for the mixture, the classification criteria are not met.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

▼ **STOT-repeated exposure**

Based on available data for the mixture, the classification criteria are not met.

▼ **Aspiration hazard**

Based on available data for the mixture, the classification criteria are not met.

▼ **Symptoms related to the physical, chemical and toxicological characteristics**

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

11.2. Information on other hazards

▼ **Endocrine disrupting properties**

This mixture contains no substance identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

Ingestion: Gastrointestinal symptoms, including upset stomach. Diarrhoea. Nausea, vomiting.

Skin contact: Causes skin irritation.

Eye contact: Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance: Sodium laureth sulfate
 Test method: OECD 203
 Species: Fish, Brachydanio rerio
 Duration: No data available.
 Test: LC50
 Result: > 1 -10 mg/l

Product/substance: Sodium laureth sulfate
 Test method: OECD 204
 Species: Fish, Oncorhynchus mykiss
 Duration: No data available.
 Test: NOEC
 Result: 0,14 mg/l

Product/substance: Sodium laureth sulfate
 Test method: OECD 201
 Species: Algae, Desmodesmus subspicatus
 Duration: No data available.
 Test: EC50
 Result: > 10 -100 mg/kg

Product/substance: Sodium laureth sulfate
 Test method: OECD 201
 Species: Algae, Desmodesmus subspicatus
 Duration: No data available.
 Test: NOEC
 Result: 0,93 mg/l

Product/substance: Sodium laureth sulfate
 Test method: OECD 202
 Species: Crustacean, Daphnia magna
 Duration: No data available.
 Test: EC50

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Result: > 1 - 10 mg/l

Product/substance Sodium laureth sulfate
 Test method: OECD 211
 Species: Crustacean, Daphnia magna
 Duration: No data available.
 Test: NOEC
 Result: 0,27 mg/l

Product/substance Sodium laureth sulfate
 Harmful to aquatic life with long lasting effects.

12.2. ▼ Persistence and degradability

Product/substance Sodium laureth sulfate
 Result: > 70 %
 Conclusion: Readily biodegradable
 Test: OECD 301 A

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. ▼ Bioaccumulative potential

Product/substance Sodium laureth sulfate
 Conclusion: No potential for bioaccumulation

The product is not bioaccumulating.

12.4. Mobility in soil

The product is miscible with water and may spread in water systems.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. ▼ Endocrine disrupting properties

This mixture contains no substance identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. ▼ Waste treatment methods

Waste is classified as hazardous waste.

Avoid discharge into drains.

EWC code

07 06

07 06 01* Aqueous washing liquids and mother liquors

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR/ADN/RID	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

▼ **Additional information**

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Labelling of contents according to Detergents Regulation (EC) No 648/2004

Detergent labelling:

≥ 30%

· Anionic surfactants

>5% - <15%

· Non-ionic surfactants

· Soap

< 5%

· Phosphonates

· Enzymes

· Optical brighteners

· Perfumes

Potassium Sorbate

benzothiazolinone

hexyl cinnamal

phenoxyethanol

Product registration number

668077

Declaration of chemicals

If the product is imported or produced in more than 100 kg/year it is subject to registration in the Product Register because it is classified as hazardous.

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation of 15 May 2015 no. 541 on declaring chemicals to the product register (Declaration Regulations)

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H334, May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

▼ **Additional information**

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

Causes serious eye irritation: On basis of test data.

The safety data sheet is validated by

Senior Regulatory & Safety Manager

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: NO-en